

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	((Creat\$3 near3 network near3 (topology or tree))) and XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:19
S2	160	(Creat\$3 near3 network near3 (topology or tree))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 11:44
S3	78	(describe\$3 near3 network near3 (topology or tree))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:51
S4	44	((Creat\$3 near3 network near3 (topology or tree))) and (test\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:52
S5	34	((describe\$3 near3 network near3 (topology or tree))) and (test\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:52
S6	3	((Creat\$3 near3 network near3 (topology or tree))) and (test\$3)) and (((describe\$3 near3 network near3 (topology or tree))) and (test\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:52
S7	73	(Creat\$3 near3 network near3 (topology or tree or map)) and test\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 11:44
S8	1505	test\$3 with scenario	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 11:45
S9	433	(test\$3 near3 scenario) and (network)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 11:45
S10	90	(test\$3 near3 scenario) and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 12:33
S11	3	(test\$3 near3 scenario) with ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 12:50

S12	3	((test\$3 near3 scenario) with ((network) with (topology or tree or map))) and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:26
S13	46	(test\$3 near3 scenario) and ((network) with (topology or tree or map)) and (network near5 (test\$3 or debugg\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:39
S14	1262	370/241,241.1,292.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 12:53
S15	122	370/241,241.1,292.ccls. and (network near5 (test\$3 or debugg\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 12:53
S16	24	(370/241,241.1,292.ccls. and (network near5 (test\$3 or debugg\$3))) and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 15:36
S17	211	XML\$ and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 09:45
S18	30	(XML\$ and ((network) with (topology or tree or map))) and (test\$3 near3 scenario)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:38
S19	5	XML\$ with ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:33
S20	16	network near description near language	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:04
S21	0	((network near description near language) or NDL) with XML\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:19
S22	212	((network near description near language) or NDL)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:19
S23	83	((network near description near language) or NDL)) and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:09

S24	0	((network near description near language) or NDL) with XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:20
S25	0	((network near description near language) or NDL) same XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:20
S26	31	XML\$ with ((network) with (topology or tree or map or description))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 11:14
S27	80	(test\$3 near3 scenario) with (archive\$3 or stor\$3 or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:27
S28	35	(test\$3 near3 scenario) near3 (archive\$3 or stor\$3 or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:33
S29	3	(test\$3 near3 scenario) near3 (reuse\$3 or (later near2 use\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:33
S30	3	(test\$3 near3 scenario) near3 (reuse\$3 or ((later or future) near2 use\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:34
S31	53	XML\$ and (test\$3 near3 (scenario or case))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:39
S32	0	(XML\$ and (test\$3 near3 (scenario or case))) and ((network) with (topology or tree or map)) and (network near5 (test\$3 or debugg\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:39
S33	4	(XML\$ and (test\$3 near3 (scenario or case))) and (network near5 (test\$3 or debugg\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:39
S34	30	(XML\$ and (test\$3 near3 (scenario or case))) and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:40
S35	29	(370/241,241.1,292.ccls. and (network near5 (test\$3 or debugg\$3))) and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:12

S36	1250	(network near5 (test\$3 or debugg\$3)) and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 14:56
S37	1318	(network near5 (test\$3 or debugg\$3)) and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 15:25
S38	81	S37 and ((test\$3 or debugg\$4) near4 (scenario or script))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 14:57
S39	4	((("6012100") or ("6496858")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 14:46
S40	40	S38 and schedule	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 15:59
S41	37	("20020083371" "20020138226" "20030074161" "4849879" "5446874" "5544310" "5644717" "5655081" "5742754" "5781703" "5787254" "5812780" "5864662" "5905868" "5964891" "6006260" "6108700" "6108782" "6138157" "6157618" "6157940" "6167534" "6205413" "6243105" "6324492" "6336138" "6434513" "6446028" "6446120" "6449739" "6457142" "6470464" "6477483" "6505246" "6604208" "6643613").PN. OR ("6738933").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/07 15:32
S42	53	S38 and schedul\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 16:05
S43	150163	schedul\$4 or ((allocat\$4 or reserv\$4) near3 time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:20
S44	5022	S43 with test\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:20

S45	1667	S44 and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:21
S46	348	S45 and scenario	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:21
S47	141	S44 with network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:21
S48	0	S47 with scenario	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:21
S49	26	S47 and scenario	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:22
S50	2	("6397359").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 10:22
S51	4	((("6532237") or ("6397359"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 14:46
S52	1404	(network near5 (test\$3 or debugg\$3)) and ((network) with (topology or tree or map))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 16:47
S53	85	S52 and ((test\$3 or debugg\$4) near4 (scenario or script))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 13:18
S54	60	S52 and ((test\$3 or debugg\$4) near4 (scenario))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 16:33
S55	9	((network) with (topology or tree or map)) same ((test\$3 or debugg\$4) near4 (scenario))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:30
S56	227	715/734,735,736.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 14:44

S57	1777	Facility near3 management near3 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:39
S58	3	S57 and (scheduling near3 scenario)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 09:36
S59	41	S57 and (reservation near3 (device or workstation or unit or printer or computer or equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:32
S60	66	S57 and (network near3 (topology or tree or map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:31
S61	0	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:31
S62	0	S60 and (reservation near3 (device or workstation or unit or printer or computer or equipment or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:32
S63	4	S57 and (reservation near3 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:34
S64	12	S60 and reservation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:43
S65	38	lab near3 management near3 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:43
S66	11	S65 and reservation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:50

S67	16	(lab near3 management) and test\$4 and reserv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 10:44
S68	471	(reserv\$4 near3 (node or device or peripheral or unit)) and test\$4 and topology and configur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:52
S69	213	S68 and schedul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:58
S70	227	715/734,735,736.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:52
S71	0	S69 and S70	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:52
S72	3	remote\$4 near4 configur\$6 near4 test\$4 near4 (lab or laboratories or facility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:59
S73	228	715/734,735,736.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 12:42
S74	63	S73 and (scenario or script or scene)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:37
S75	0	vissim same network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 13:45
S76	28	vissim	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:22
S77	3	lab\$view near4 (scenario or script)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:25

S78	255	lab\$view and reserv\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:27
S79	28	S78 and (scenario or script)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:25
S80	31	lab\$view and (reserv\$4 near3 (device or peripheral or element or unit or equipment or computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:15
S81	8	("4988981" "5297059" "5539652" "5815654" "5938779" "6108887" "6349588").PN. OR ("6594599"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/26 15:14
S82	21	max\$view	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/26 15:14
S83	0	browser\$4based near4 schedul\$4 near4 system	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:49
S84	5	browser near4 schedul\$4 near4 system	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:27
S85	6	scenario near4 schedul\$4 near4 system	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:19
S86	154	scenario near4 schedul\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:49
S87	137	schedul\$4 with test\$4 with network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 16:08
S88	63	S87 and (scenario or script or scene or model)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:37
S89	137	schedul\$4 with test\$4 with case	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 16:08

S90	78	S89 and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:33
S91	26	S90 and ((book\$4 or reserv\$4 or secure or (set near2 aside)) near5 (device or peripheral or element or unit or equipment or computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:46
S92	1461	((book\$4 or reserv\$4 or secure or (set near2 aside)) near5 (device or peripheral or element or unit or equipment or computer)) with test\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:47
S93	770	((book\$4 or reserv\$4 or secure or (set near2 aside)) near4 (device or peripheral or element or unit or equipment or computer)) near4 test\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:48
S94	17	maxview	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:59
S95	0	S93 and S94	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:48
S96	0	S93 and visio	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:48
S97	413	(book\$4 or reserv\$4) near4 (device or peripheral or element or unit or equipment or computer) near4 test\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:00
S98	0	S86 and S97	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:49
S99	28	S97 and schedul\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:49
S10 0	0	S73 and ((book\$4 or reserv\$4) near4 (device or peripheral or element or unit or equipment or computer) near4 test\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:00
S10 1	4	S73 and ((book\$4 or reserv\$4) near4 (device or peripheral or element or unit or equipment or computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:07

S10 2	3075	test\$4 near4 network near4 (device or peripheral or element or unit or equipment or computer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:08
S10 3	2905	schedul\$4 near4 (scenario or script or modle or case)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:09
S10 4	21	S102 and S103	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:30
S10 5	2	("6425096").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:30
S10 6	2	S105 and (test near3 case)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:30
S10 7	2	("6425096").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 13:05
S10 8	1	S107 and (pre\$allocate\$4 or reserv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 13:06